

☐ Medicine dropper



First-Aid Supplies

Place the basic first-aid kit in a separate, easily identifiable, container within the 72-hour kit. Keep all liquids in zip-lock bags to prevent leakage. Items should be organized for quick and easy access. Change out all medications every six months.

| Basic First-Aid Kit (keep in 72-hour kit) | | | |
|---|---|--|---|
| | First-aid booklet | | Instant Hot Pack |
| | Medical-grade vinyl gloves | | Roll of adhesive tape, 1" wide, or self |
| | CPR barrier | | sticking elastic rolls |
| | Alcohol wipes | | Triangular bandage |
| | Box of sterile gauze pads, 4" x 4" | | Triple-antibiotic ointment |
| | Abdominal sterile pad, 5" x 9" | | Burn relief cream |
| | Rolled gauze, 2" x 4 yards and 4" x 4 yards | | Calamine lotion |
| | Assorted bandages (include butterfly, | | Ammonia/smelling salts |
| | fingertip, and knuckle bandages) | | Hydrogen peroxide |
| | Sterile oval eye pad | | Razor blades |
| | Small sharp scissors | | Needles |
| | Tweezers with pointed tip | | Safety pins |
| | Thermometer | | Aspirin, acetaminophen, ibuprofen |
| | Elastic bandage, 3" x 6" | | Consecrated oil |
| | Instant ice pack | | |
| <u>Expan</u> | ded First-Aid Kit | | |
| | Additional sterile pads and bandages to | | Eye wash |
| | augment basic first-aid kit | | Craft sticks or finger splints |
| | Rubbing alcohol | | Splint materials: thin boards 2-3' long or |
| | Hydrogen peroxide | | inflatable splints |
| | Betadine | | Antacid tablets |
| | Allergy medications | | Upset stomach remedy |
| | Hydrocortisone cream | | Diarrhea remedy |
| | Lip protection/medication | | Cough syrup and throat lozenges |
| | Sunscreen | | Water purification tablets |
| | Snake bite kit | | Small bottle of bleach |
| | Bee sting kit | | Immunization records |
| | Cotton balls | | Large plastic trash bag and several smaller |
| | Antibacterial soap, liquid or bar | | zip-closure bags |